Material Safety Data Sheet: LEXITE PS II

Supercedes Date 08/28/2008 **Issuing Date** 02/08/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name LEXITE PS II
Recommended use Cleaning agent

Information on Manufacturer
CHEMSEARCH DIV. OF NCH CORP.
BOX 152170
IRVING, TX 75015

Product Code 5600
Chemical nature Alcohol solution

Emergency Telephone Number
CHEMTREC® 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview
DANGER
Extremely flammable
May be harmful if inhaled
Causes skin irritation
Severe eye irritation
Harmful or fatal if swallowed
Contents under pressure

Color Colorless **Physical State** Liquid **Odor** Alcohol

Potential Health Effects

Principle Route of Exposure Inhalation, Skin contact, Eye contact.

Primary Routes of Entry Inhalation, Skin Absorption.

Acute Effects

Eyes Severe eye irritant.

Skin Causes skin irritation. Substance may be absorbed through the skin which can contribute to damage to the optic nerve resulting in permanent vision changes, loss of vision, or total blindness.

Inhalation May cause irritation of respiratory tract. Inhalation of vapors in high concentration can cause narcotic effects and metabolic acidosis. May cause central nervous system depression. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Ingestion Ingestion may cause irritation to mucous membranes. Causes headache, drowsiness or other effects to the central nervous system. Acidosis. Lowered blood pressure. May be fatal or cause blindness if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

Chronic Toxicity May cause damage to the kidneys/liver/eyes/brain/digestive system/central nervous system through prolonged or repeated exposure if swallowed. Repeated and prolonged exposure to solvents may cause brain and nervous system damage. Cardiac. damage. Contains a known or suspected carcinogen. Contains a known or suspected reproductive toxin.

Target Organ Effects Blood, Central nervous system, Gastrointestinal tract, Liver, Reproductive System, Respiratory system, Eyes, Heart, Kidney.

Aggravated Medical Conditions Heart, Liver disorders, Neurological disorders, Skin disorders, Respiratory disorders, Kidney disorders.

Potential Environmental Effects See Section 12 for additional Ecological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Ethyl alcohol	64-17-5
Methyl acetate	79-20-9
Isopropyl alcohol	67-63-0
Carbon dioxide	124-38-9
Methyl alcohol	67-56-1
Methylisobutyl ketone	108-10-1

4. FIRST AID MEASURES

General Advice Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Remove and wash contaminated clothing before re-use.

Inhalation Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial respiration. Get medical attention immediately.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.

Notes to physician Inhalation of vapors in high concentration can cause narcotic effects and metabolic acidosis. May cause cardiac arrhythmia. Aspiration hazard if swallowed - can enter lungs and cause damage.

5. FIRE-FIGHTING MEASURES

Flash Point 55 °F / 13 °C **Method** Seta closed cup

Autoignition Temperature No information available.

Flammability Limits in Air % Solvent mixture. **Upper** 19 **Lower** 3.1

Suitable Extinguishing Media
Water spray. Carbon dioxide (CO2). Foam. Alcohol-resistant foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical
Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Flame extension: 18 inches / 45.7 cm and Burnback: 6 inches / 15 cm.

Protective Equipment and Precautions for Firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Aerosol Level (NFPA 30B) - 2

NFPA	**Health** 2	**Flammability** 4	**Instability** 0
HMIS	**Health** 2	**Flammability** 4	**Instability** 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning Up Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled containers.

Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling Keep away from open flames, hot surfaces and sources of ignition. Avoid breathing vapors, mist or gas. Avoid contact with skin, eyes and clothing.

Storage Keep away from heat and sources of ignition. Keep in a dry, cool and well-ventilated place.

Storage Temperature **Minimum** 35 °F / 2 °C **Maximum** 120 °F / 49 °C

Storage Conditions **Indoor** X **Outdoor** **Heated** **Refrigerated**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m^3	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m^3
Methyl acetate	TWA: 200 ppm STEL: 250 ppm	TWA: 200 ppm TWA: 610 mg/m^3	IDLH: 3100 ppm STEL 250 ppm STEL 760 mg/m^3 TWA: 200 ppm TWA: 610 mg/m^3
Isopropyl alcohol	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 980 mg/m^3	IDLH: 2000 ppm STEL 500 ppm STEL 1225 mg/m^3 TWA: 400 ppm TWA: 980 mg/m^3
Carbon dioxide	TWA: 5000 ppm STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000 mg/m^3	IDLH: 40000 ppm STEL 30000 ppm STEL 54000 mg/m^3 TWA: 5000 ppm TWA: 9000 mg/m^3
Methyl alcohol	TWA: 200 ppm Skin STEL: 250 ppm	TWA: 200 ppm TWA: 260 mg/m^3	IDLH: 6000 ppm STEL 250 ppm STEL 325 mg/m^3 TWA: 200 ppm TWA: 260 mg/m^3
Methylisobutyl ketone	TWA: 20 ppm STEL: 75 ppm	TWA: 100 ppm TWA: 410 mg/m^3	IDLH: 500 ppm STEL 75 ppm STEL 300 mg/m^3 TWA: 50 ppm TWA: 205 mg/m^3

Engineering Measures Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin Protection Wear suitable protective clothing, Impervious gloves.

Respiratory Protection In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	**Viscosity**	Non viscous
Color	Colorless	**Odor**	Alcohol
Appearance	Transparent	**pH**	Not applicable
Specific Gravity	0.680	**Evaporation Rate**	124.7 (Butyl acetate=1)
Percent Volatile (Volume)	100	**VOC Content (%)**	73
VOC Content (g/L)	496	**Vapor Pressure**	3781 mmHg @ 70°F
Vapor Density	1.5	**Solubility**	Completely soluble
Boiling Point/Range	150 °F / 66 °C		

10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid Heat, flames, and sparks

Incompatible Products Strong oxidizing agents, Strong acids, Halogenated hydrocarbon.

Hazardous Decomposition Products Carbon oxides

Possibility of Hazardous Reactions None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Ethyl alcohol	= 7060 mg/kg (Rat)	no data available	= 124.7 mg/L (Rat) 4 h	no data available	no data available
Methyl acetate	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat) > 5000 mg/kg (Rabbit)	= 16000 ppm (Rat) 4 h	no data available	no data available
Isopropyl alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h	no data available	no data available
Carbon dioxide	no data available	no data available	no data available	no data available	no data available
Methyl alcohol	= 5628 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 64000 ppm (Rat) 4 h = 83.2 mg/L (Rat) 4 h	no data available	no data available
Methylisobutyl ketone	= 2080 mg/kg (Rat)	> 16000 mg/kg (Rabbit)	= 8.2 mg/L (Rat) 4 h	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Ethyl alcohol	no data available	no data available	yes	no data available	eyes, respiratory system, CNS, liver, skin, blood, reproductive system
Methyl acetate	no data available	no data available	no data available	no data available	eyes, CNS, respiratory system, skin
Isopropyl alcohol	no data available	no data available	no data available	no data available	eyes, respiratory system, skin, liver, kidney, CNS
Carbon dioxide	no data available	no data available	no data available	no data available	respiratory system,CVS
Methyl alcohol	no data available	no data available	x	no data available	eyes, CNS, skin, GI tract, respiratory system, kidney, spleen, liver, blood, pancreas, heart, reproductive system
Methylisobutyl ketone	no data available	no data available	no data available	no data available	eyes, CNS, respiratory system, liver, skin, kidneys

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Other
Ethyl alcohol	A3	Group 1	Known	X	not applicable
Methyl acetate	not applicable	not applicable	not applicable	not applicable	not applicable
Isopropyl alcohol	not applicable	not applicable	not applicable	not applicable	not applicable
Carbon dioxide	not applicable	not applicable	not applicable	not applicable	not applicable
Methyl alcohol	not applicable	not applicable	not applicable	not applicable	not applicable
Methylisobutyl ketone	A3	Group 2B	not applicable	X	Prop. 65

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Ethyl alcohol	no data available	LC50 12.0 - 16.0 mL/L Oncorhynchus mykiss 96 h LC50 13400 - 15100 mg/L Pimephales promelas 96 h LC50 > 100 mg/L Pimephales promelas 96 h	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	LC50 9268 - 14221 mg/L 48 h EC50= 10800 mg/L 24 h EC50= 2 mg/L 48 h	-0.32
Methyl acetate	EC50 > 120 mg/L Desmodesmus subspicatus 72 h	LC50 250 - 350 mg/L Brachydanio rerio 96 h LC50 295 - 348 mg/L Pimephales promelas 96 h	EC50 = 6000 mg/L 16 h EC50 = 6100 mg/L 30 min	EC50= 1026.7 mg/L 48 h	0.18
Isopropyl alcohol	EC50 > 1000 mg/L Desmodesmus subspicatus 72 h EC50 > 1000 mg/L Desmodesmus subspicatus 96 h	LC50 = 11130 mg/L Pimephales promelas 96 h LC50 = 9640 mg/L Pimephales promelas 96 h LC50 > 1400000 µg/L Lepomis macrochirus 96 h	EC50 = 35390 mg/L 5 min	EC50= 13299 mg/L 48 h	0.05
Carbon dioxide	no data available	no data available	no data available	no data available	N/A
Methyl alcohol	no data available	LC50 13500 - 17600 mg/L Lepomis macrochirus 96 h LC50 18 - 20 mL/L Oncorhynchus mykiss 96 h LC50 19500 - 20700 mg/L Oncorhynchus mykiss 96 h LC50 = 28200 mg/L Pimephales promelas 96 h LC50 > 100 mg/L Pimephales promelas 96 h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	no data available	-0.77
Methylisobutyl ketone	EC50 = 400 mg/L Pseudokirchneriella subcapitata 96 h	LC50 496 - 514 mg/L Pimephales promelas 96 h	EC50 = 79.6 mg/L 5 min	EC50= 170 mg/L 48 h	1.19

Persistence and Degradability No information available.
Bioaccumulation No information available.
Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of as hazardous waste in compliance with local and national regulations.
Container Disposal Contents under pressure. Do not puncture. Empty remaining contents. Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT DOT
Proper Shipping Name Consumer commodity
Hazard Class ORM-D
Description Consumer commodity ,ORM-D,

TDG
Proper shipping name Aerosols
Hazard Class 2.1
UN-No UN1950
Description AEROSOLS,2.1,UN1950 LTD. QTY.

ICAO ICAO
Proper Shipping Name DO NOT SHIP AIR

IATA
Proper Shipping Name DO NOT SHIP AIR

IMDG/IMO
Proper Shipping Name Aerosols
Hazard Class 2.1
UN-No UN1950
EmS No. F-D, S-U
Shipping Description UN1950, Aerosols,2.1 LTD. QTY.

15. REGULATORY INFORMATION

Inventories
TSCA Complies
DSL Complies

U.S. Federal Regulations

SARA 313
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Isopropyl alcohol	67-63-0	7-13	1.0
Methyl alcohol	67-56-1	1-5	1.0
Methylisobutyl ketone	108-10-1	0.1-1	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	Yes	Yes	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Ethyl alcohol	Not applicable	Not applicable
Methyl acetate	Not applicable	Not applicable
Isopropyl alcohol	Not applicable	Not applicable
Carbon dioxide	Not applicable	Not applicable
Methyl alcohol	5000 lb	Not applicable
Methylisobutyl ketone	5000 lb	Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class
A Compressed gases, B5 Flammable aerosol, D2A Very toxic materials, D2B Toxic materials.

16. OTHER INFORMATION

Prepared By	Mike McDowell
Supercedes Date	08/28/2008
Issuing Date	02/08/2012
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CHEMSEARCH DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.